



# TECHNICAL UNIVERSITY OF MOMBASA

FACULTY OF ENGINEERING & TECHNOLOGY

MECHANICAL ENGINEERING

UNIVERSITY EXAMINATION FOR:

BACHELOR OF SCIENCE

EMG 2414: Numerical Methods for Engineers

END OF SEMESTER EXAMINATION

SERIES: APRIL 2016

TIME: 2 HOURS

DATE: 2016

## Instructions to Candidates

You should have the following for this examination

-Answer Booklet, examination pass and student ID

This paper consists of Choose No questions. Attempt Choose instruction.

**Do not write on the question paper.**

## Question ONE

(a) Solve each of the following systems of linear equations using Gauss-elimination and state the type of solutions in each.

$$4x_1 - 6x_2 = 10$$

$$6x_1 - 9x_2 = 15 \quad (2 \text{ marks})$$

$$2x_1 + x_2 = 3$$

$$2x_1 + x_2 = 1 \quad (3 \text{ marks})$$

(b) Use trapezoidal rule to integrate  $\int_0^{\frac{\pi}{3}} \sqrt{\sin x} dx$ , using six intervals evaluated correct to 3 decimal places

(5 marks)

(c) Consider the initial value problem  $y' = x(y + 1)$ ,  $y(0) = 1$ . Compute  $y(0.2)$  with  $h = 0.1$  Using Euler's method. (5 marks)

(d) Using Newton's backward difference formula, find the polynomial for the following data.

$x$	0	1	2	3
$f(x)$	-3	2	9	18

(5 marks)

- (e) Find the Eigen values and Eigen vectors of  $A = \begin{bmatrix} 2 & -1 \\ -1 & 2 \end{bmatrix}$

(5 marks)

- (f) Solve the differential equation

$$\frac{dy}{dx} = 3e^x - 2y, \quad y(0) = 0$$

by the method of Runge Kutta method of order 4, to get the value of  $y$  at  $x = 0.1$  given that  $h = 0.1$

(5 marks)

### Question TWO

- (a) Derive the trapezium rule using the Lagrange linear interpolating polynomial for points  $(a, f(a)), (b, f(b))$

(5 marks)

- (b) Using the 4th order Runge Kutta method, solve the initial value problem

$$\frac{dy}{dx} = -2y + x + 4, \quad y(0) = 1$$

to obtain  $y(0.2) = 1$  using  $\Delta x = 0.2$

(5 marks)

- (c) Using Gauss - elimination solve the system of linear equations.

(5 marks)

$$x_1 + 3x_2 + 5x_3 = 14$$

$$2x_1 - x_2 - 3x_3 = 0$$

$$4x_1 + 5x_2 - x_3 = 7$$

- (d) Evaluate  $\Delta^2 f(x)$ , given that  $f(x) = 3x^2$ ,  $h=0.1$

(5 marks)

### Question THREE

- (a) Use Gaussian Elimination to convert the following matrix into a row echelon matrix

$$\begin{bmatrix} 1 & -3 & 1 & -1 \\ -1 & 3 & 0 & 3 \\ 2 & -6 & 3 & 0 \\ -1 & 3 & 1 & 5 \end{bmatrix}$$

(6 marks)

- (b) Using the forward difference calculate  $\Delta^2 f(x)$ , given that  $f(x) = x^2 + 8x - 5$

(7 marks)

- (d) Using Taylor series expand  $f(x) = \frac{1}{x-1} - 1$  to obtain cubic approximation around  $a = 0$

(7 marks)

### Question FOUR

- (a) Find the Eigen vectors of the matrix  $A = \begin{bmatrix} 1 & -3 & 3 \\ 3 & -5 & 3 \\ 6 & -6 & 4 \end{bmatrix}$  given that the Eigen values of A are  $\lambda = -2, \lambda = -2, \lambda = 4$ , (5 marks)

- (b) Using Newton's forward difference, find  $\frac{dy}{dx}$  at  $x = 1$  from the following table of value (5 marks)

$x$	1	2	3	4
$y$	1	8	27	64

- (c) The velocity of a particle which starts from rest is given by the following table

$t$	0	2	4	6	8	10	12	14	16	18	20
$v(t)$	0	16	29	40	46	51	8	32	18	3	0

Evaluate using trapezium rule, the total distance travelled is 20 seconds. (5 marks)

- (d) Find  $\frac{dy}{dx}$ , at  $x=1.2$

$x$	1	1.2	1.4	1.6	1.8	2.0	2.2
$y$	2.7183	3.3201	4.0552	4.9530	6.0496	7.3891	9.0250

(5 marks)

### Question FIVE

- (a) Find a quadratic equation of the form  $y = c + bx + ax^2$  that goes through  $(-2,20)$ ,  $(1,5)$  and  $(3,25)$  (7 marks)

- (b) Using the Simpson's  $\frac{1}{3}$  rule evaluate  $I = \int_1^2 \frac{dx}{5+3x}$  with 8 subintervals. (7 marks)

- (c) Using the data  $\sin(0.1) = 0.09983$  and  $\sin(0.2) = 0.19867$ ,

i) find an approximate value of  $\sin(0.15)$

ii) find the relative error

(6 marks)

