



TECHNICAL UNIVERSITY OF MOMBASA

FACULTY OF APPLIED AND HEALTH SCIENCES

DEPARTMENT OF PURE & APPLIED SCIENCES

UNIVERSITY EXAMINATION FOR:

BTMB

PAPER 2

ABT 4405: BIOINFORMATICS

END OF SEMESTER EXAMINATION

SERIES: APRIL 2016

TIME: 2 HOURS

DATE: Pick Date May 2016

Instructions to Candidates

You should have the following for this examination

-Answer Booklet, examination pass and student ID

This paper consists of **FIVE** questions. Attempt question ONE (Compulsory) and any other TWO questions.

Do not write on the question paper.

Question ONE

a. Define the following terms.

- | | |
|------------------------|--------|
| i. Biological database | 1 mark |
| ii. Accession number | 1 mark |
| iii. Biosis | 1 mark |

b. Give the meaning of the following terms:

- | | |
|-----------|--------|
| i. ASCII | ½ mark |
| ii. PSSM | ½ mark |
| iii. XML | ½ mark |
| iv. UPGMA | ½ mark |

- c. Describe the BSML file format. 6 marks
- d. Outline any FIVE limitations of bioinformatics. 5 marks
- e. Distinguish between Parsimony and Maximum likelihood tree building algorithms. 4 marks
- f. You are given the following pairs of sequences:
1. DDBICEKDDATU
 2. DRBICEKADATM
 3. CBOCADACTUMD
 4. CKECADAGTUUD
- a. Calculate similarity scores between the pair of sequences using an identity matrix (assume mismatch=0, and match=1). 4 marks
- g. Describe the following primary protein sequence database. 6 marks
- i. PDB
 - ii. TrEMBL

Question TWO

Explain the following BLAST programs.

- i. Tblastx 10 marks
- ii. Blastx 10 marks

Question THREE

- a. Explain the general guidelines to consider when designing primers. 8 marks
- b. Describe FOUR bioinformatic tools you would use to design primers. 8 marks

c. Use the Standard Code for Information Interchange table below to solve the following.

	30	40	50	60	70	80	90	100	110	120
0		(2	<	F	P	Z	d	n	x
1)	3	=	G	Q	[e	o	y
2		*	4	>	H	R	\	f	p	z
3	!	+	5	?	I	S]	g	q	{
4	"	,	6	@	J	T	^	h	r	
5	#	-	7	A	K	U	_	i	s	}
6	\$.	8	B	L	V		j	t	~
7	%	/	9	C	M	W	a	k	u	DEL
8	&	0	:	D	N	X	b	l	v	
9	'	1	;	E	O	Y	c	m	w	

Given a character w

i. Calculate the corresponding Phred quality score based on fastq-solexa format.

4 marks

Question FOUR

a. Using an illustration, explain the position specific iterative-BLAST (PSI-BLAST) approach.

8 marks

b. Use the BLOSUM 62 and PAM250 substitution matrices below to solve the following questions

BLOSUM 62

A	R	N	D	C	Q	E	G	H	I	L	K	M	F	P	S	T	W	Y	V	
A	4	-1	-2	-2	0	-1	-1	0	-2	-1	-1	-1	-2	-1	1	0	-3	-2	0	
R	-1	5	0	-2	-3	1	0	-2	0	-3	-2	2	-1	-3	-2	-1	-1	-3	-2	-3
N	-2	0	6	1	-3	0	0	0	1	-3	-3	0	-2	-3	-2	1	0	-4	-2	-3
D	-2	-2	1	6	-3	0	2	-1	-1	-3	-4	-1	-3	-3	-1	0	-1	-4	-3	-3
C	0	-3	-3	-3	9	-3	-4	-3	-3	-1	-1	-3	-1	-2	-3	-1	-1	-2	-2	-1
Q	-1	1	0	0	-3	5	2	-2	0	-3	-2	1	0	-3	-1	0	-1	-2	-1	-2
E	-1	0	0	2	-4	2	5	-2	0	-3	-3	1	-2	-3	-1	0	-1	-3	-2	-2
G	0	-2	0	-1	-3	-2	-2	6	-2	-4	-4	-2	-3	-3	-2	0	-2	-2	-3	-3
H	-2	0	1	-1	-3	0	0	-2	8	-3	-3	-1	-2	-1	-2	-1	-2	-2	2	-3
I	-1	-3	-3	-3	-1	-3	-3	-4	-3	4	2	-3	1	0	-3	-2	-1	-3	-1	3
L	-1	-2	-3	-4	-1	-2	-3	-4	-3	2	4	-2	2	0	-3	-2	-1	-2	-1	1
K	-1	2	0	-1	-3	1	1	-2	-1	-3	-2	5	-1	-3	-1	0	-1	-3	-2	-2
M	-1	-1	-2	-3	-1	0	-2	-3	-2	1	2	-1	5	0	-2	-1	-1	-1	-1	1
F	-2	-3	-3	-3	-2	-3	-3	-3	-1	0	0	-3	0	6	-4	-2	-2	1	3	-1
P	-1	-2	-2	-1	-3	-1	-1	-2	-2	-3	-3	-1	-2	-4	7	-1	-1	-4	-3	-2
S	1	-1	1	0	-1	0	0	0	-1	-2	-2	0	-1	-2	-1	4	1	-3	-2	-2
T	0	-1	0	-1	-1	-1	-1	-2	-2	-1	-1	-1	-1	-2	-1	1	5	-2	-2	0
W	-3	-3	-4	-4	-2	-2	-3	-2	-2	-3	-2	-3	-1	1	-4	-3	-2	11	2	-3
Y	-2	-2	-2	-3	-2	-1	-2	-3	2	-1	-1	-2	-1	3	-3	-2	-2	2	7	-1
V	0	-3	-3	-3	-1	-2	-2	-3	-3	3	1	-2	1	-1	-2	-2	0	-3	-1	4

PAM250

A	R	N	D	C	Q	E	G	H	I	L	K	M	F	P	S	T	W	Y	V		
A	2	-2	0	0	-2	0	0	1	-1	-1	-2	-1	-1	-3	1	1	1	-6	-3	0	
R	-2	6	0	-1	-4	1	-1	-3	2	-2	-3	3	0	-4	0	0	-1	2	-4	-2	
N	0	0	2	2	-4	1	1	0	2	-2	-3	1	-2	-3	0	1	0	-4	-2	-2	
D	0	-1	2	4	-5	2	3	1	1	-2	-4	0	-3	-6	-1	0	0	-7	-4	-2	
C	-2	-4	-4	-5	12	-5	-5	-3	-3	-2	-6	-5	-5	-4	-3	0	-2	-8	0	-2	
Q	0	1	1	2	-5	4	2	-1	3	-2	-2	1	-1	-5	0	-1	-1	-5	-4	-2	
E	0	-1	1	3	-5	2	4	0	1	-2	-3	0	-2	-5	-1	0	0	-7	-4	-2	
G	1	-3	0	1	-3	-1	0	5	-2	-3	-4	-2	-3	-5	0	1	0	-7	-5	-1	
H	-1	2	2	1	-3	3	1	-2	6	-2	-2	0	-2	-2	0	-1	-1	-3	0	-2	
I	-1	-2	-2	-2	-2	-2	-2	-3	-2	5	2	-2	2	1	-2	-1	0	-5	-1	4	
L	-2	-3	-3	-4	-6	-2	-3	-4	-2	2	6	-3	4	2	-3	-3	-2	-2	-1	2	
K	-1	3	1	0	-5	1	0	-2	0	-2	-3	5	0	-5	-1	0	0	-3	-4	-2	
M	-1	0	-2	-3	-5	-1	-2	-3	-2	2	4	0	6	0	-2	-2	-1	-4	-2	2	
F	-3	-4	-3	-6	-4	-5	-5	-5	-2	1	2	-5	0	9	-5	-3	-3	0	7	-1	
P	1	0	0	-1	-3	0	-1	0	0	-2	-3	-1	-2	-5	6	1	0	-6	-5	-1	
S	1	0	1	0	0	-1	0	1	-1	-1	-1	-3	0	-2	-3	1	2	1	-2	-3	-1
T	1	-1	0	0	-2	-1	0	0	-1	0	-2	0	-1	-3	0	1	3	-5	-3	0	
W	-6	2	-4	-7	-8	-5	-7	-7	-3	-5	-2	-3	-4	0	-6	-2	-5	17	0	-6	
Y	-3	-4	-2	-4	0	-4	-4	-5	0	-1	-1	-4	-2	7	-5	-3	-3	0	10	-2	
V	0	-2	-2	-2	-2	-2	-1	-2	4	2	-2	2	-1	-1	-1	0	-6	-2	4		

Given the pairs of sequences below;

1. DWSDEVKA
2. YWSDEVKA

3. DEVKDWSA
4. DEKVDWSS

Calculate similarity scores between these sequences using:

- i. PAM250 matrix 4 marks
- ii. Identity matrix (assume match =2, and mismatch = 0) 4 marks
- iii. BLOSUM 62 matrix 4 marks

Question FIVE

- a. Distinguish between ENZYME and REBASA databases. 14 marks
- b. Describe three bioinformatic tools you would use to align two sequences. 6 marks