

TECHNICAL UNIVERSITY OF MOMBASA

FACULTY OF APPLIED AND HEALTH SCIENCES

DEPARTMENT OF MEDICAL SCIENCES

UNIVERSITY EXAMINATION FOR:

BMLS

AML4313: EPIDEMIOLOGY

END OF SEMESTER EXAMINATION

SERIES:APRIL2016

TIME:2HOURS

DATE: Pick DateSelect MonthPick Year

Instructions to Candidates

You should have the following for this examination

-Answer Booklet, examination pass and student ID

This paper consists of **TWO**Section(s). AttemptALL questions.

Circle the correct answer in section A.

Section A

- 1. Which of the following is an example of primary prevention of diseases?
- a) Rehabilitation
- b) Counseling
- c) Prevention of environmental acquired diseases
- d) Breast cancer screening through self examination and mammography
- e) Colon cancer screening through occult blood test
- 2. Which of the following is a disease transmission prerequisite?
- a) Direct contact
- b) Susceptible host
- c) Portal of exit
- d) Mode of transmission
- e) Indirect contact
- 3. Which of the following involves change in form and numbers?
- a) Propergative
- b) Cyclopropagative
- c) Cyclodevelopmental

- d) Developmental
- e) None of the above
- 4. Which of the following disease control measures are targeted to individual patient level?
- a) Route of transmission
- b) Host
- c) Screening
- d) Targeted measures
- e) Notification
- 5. The following prevention and control strategies target the reservoir host (Human host) EXCEPT?
- a) Quarantine
- b) Notification
- c) Surveillance
- d) Vector control
- e) None of the above
- 6. The following disease control strategies are targeted to improving quality of life EXCEPT?
- a) Diet
- b) Behavioral
- c) Hygiene practices
- d) Chemoprophylaxis
- e) Environmental engineering
- 7. Which of the following is the increased probability of a specified outcome not necessarily a causal factor?
- a) Determinant
- b) Risk factor
- c) Risk marker
- d) None of the above
- 8. The following are clinical stages of the natural history of diseases EXCEPT?
- a) Medical care sought
- b) Pathologic evidence of disease
- c) Diagnosis
- d) Treatment
- e) Symptoms
- 9. The time interval between infections to development of clinical disease is also known as?
- a) Non-infectious period
- b) Infectious period
- c) Lag period
- d) Latent period
- e) Incubation period
- 10. Which of the following best defines RISK?
- a) Likelihood that an individual will contract a disease
- b) Number of total cases of disease present at a particular time
- c) Number of new cases, injuries, disabilities in a defined population
- d) Extent of illness or disability in a defined population

- e) The accumulated number of cases
- 11. Which of the following is calculated using all the existing cases?
- a) Risk
- b) Incidence rate
- c) Prevalence rate
- d) Cumulative incidence
- e) Point incidence
- 12. Which of the following measures the rate of new diseases occurring over time?
- a) Risk
- b) Prevalence
- c) Cumulative incidence
- d) Incidence rate
- e) Point prevalence
- 13. Prevalence rates are increased by the following factors EXCEPT?
- a) Immigration of ill cases
- b) Immigration of healthy cases
- c) Emigration of susceptible cases
- d) Prolongation of life cases without cure
- e) All of the above
- 14. The following are sources of morbidity statistics EXCEPT?
- a) Surveys
- b) Schools
- c) Disease reporting
- d) Absenteeism records
- e) Hospital records
- 15. Which of the following studies start with a group of subjects who are negative of the outcome of interest?
- a) Experimental
- b) Case control
- c) Cohort
- d) Ecological
- e) Survey
- 16. Which of the following study design begins with the exposure levels
- a) Cohort
- b) Case-control
- c) Experimental
- d) Survey
- e) Randomized control trials
- 17. The following are potential biases in cohort studies EXCEPT?
- a) Analytical bias
- b) Selection bias
- c) Bias from non response
- d) Selection bias

- e) Information bias
- 18. Which of the following is true about case- control studies?
- a) Useful in determining risk of exposure
- b) Useful at one point in time
- c) Useful in incidence studies
- d) Useful when the disease being investigated is common
- e) Useful when the disease being investigated is rare
- 19. The following are disadvantages of cohort studies EXCEPT?
- a) Information not readily available
- b) Bias in selection
- c) Expensive
- d) Difficult to validate
- e) Requires fewer subjects
- 20. Which of the following is true about selection of cases and controls?
- a) Select from one source
- b) Only one control per case
- c) Controls should be hospitalized patients
- d) Select from a variety of sources
- e) Choose incidence cases only
- 21. The following are recall problems in case-control except?
- a) Limitation in recall
- b) Bias from lack of follow up
- c) Recall bias
- d) All of the above
- e) None of the above
- 22. The following are disadvantages of cross section studies EXCEPT?
- a) Show association with survival but not risk of developing the disease
- b) Identify prevalence but not incidence
- c) Design less complex
- d) Represent only those surveyed
- e) Expensive to carry out
- 23. Which of the following is a retrospective study?
- a) Cross sectional
- b) Case control
- c) Concurrent cohort
- d) Randomized trial
- e) Longitudinal studies
- 24. Randomized trial is also known as?
- a) Prospective study
- b) Retrospective study
- c) Cross sectional study
- d) Concurrent cohort
- e) Experimental study

- 25. Which of the following is the odd one out?
- a) Concurrent cohort study
- b) Prospective cohort study
- c) Retrospective cohort study
- d) Concurrent prospective study
- e) Longitudinal study
- 26. The following are examples of randomized trials EXCEPT?
- a) Hormonal therapy on breast cancer
- b) Effect of coffee on coronary heart disease
- c) HIV AIDS in married women
- d) Carotene and cancer
- e) Effect of Z-map on Ebola patients
- 27. Why is randomization the best approach in selection of subjects?
- a) Uses random numbers
- b) Non predictability
- c) Instill physician bias
- d) Use of non random numbers
- e) Expensive approach
- 28. Stratified randomization is useful when using?
- a) A cross section study
- b) Defined population
- c) Two treatment groups
- d) Carrying out experiments
- e) There is a concern that certain variables may affect the outcome
- 29. Which of the following relates to accuracy?
- a) Reliability
- b) Validity
- c) Yield
- d) Sensitivity
- e) Predictive values
- 30. Which of the following statements is not true?
- a) As prevalence increases positive predictive value increases
- b) As sensitivity increases positive predictive value increases but to a lesser extend
- c) As specificity decreases, positive predictive value increases
- d) As specificity increases, positive predictive value increases
- e) As sensitivity increases positive predictive value remains constant

Section B

- 1. Outline the advantages of prospective cohort and retrospective studies (10mks)
- ii. Describe matching in selection of cases and controls in case control studies (10mks)
 - 2. Define and describe epidemiological surveillance (8mks)
 - a) Describe the following (12mks)
 - i. Indirect mode of disease transmission
 - ii. Masking in randomized controlled trials
 - iii. When is the odds ratio a good estimate of the relative risk