

**TECHNICAL UNIVERSITY OF MOMBASA** 

# **Faculty of Engineering & Technology**

# Department of Building & Civil Engineering

UNIVERSITY EXAMINATION FOR DIPLOMA IN:

## **DIPLOMA IN CIVIL ENGINEERING**

## DBCE/MAY 2015 (DBCE y2s1)

ECV 2201: FLUID MECHANICS I

## END OF SEMESTER EXAMINATION

## SERIES: MAY 2016

## TIME ALLOWED: 2 HOURS

### **Instruction to Candidates;**

You should have the following for this examination;

- Answer booklet
- Pocket calculator

This paper consists of FIVE questions. Answer **ANY THREE** questions. Use neat, large and well labelled diagrams where required Maximum marks for each part of a question are as shown This paper consists of **FOUR** printed papers.



#### **Question One**

a) Briefly explain the difference between density and specific weight.

(3 marks)

- b) Given two (2) litres of a liquid that weighs 8N. Calculate;
  - i) Specific weight
  - ii) Density
  - iii) Specific gravity.

(6 marks)

- c) (i) Briefly explain the difference in the application of pitot and piezometer tubes. (4 marks)
  - Water is flowing through a pipe having diameters 40cm and 25cm at sections A and B, respectively. The rate of flow through the pipe is 20litres/sec. Section A is 2.5m above the datum and section B is 3.5m above the datum. If the pressure at section A is 12.29N/cm<sup>2</sup>, determine the intensity of pressure at section B. (7marks)

### **Question Two**

- a) State FIVE assumptions made in Bernoulli's Theorem. (5 marks)
- b) Define the following;
  - (i) Pressure head
  - (ii) Velocity head
  - (iii) Elevation head

(3 marks)

- c) A hydraulic press has a ram of 50 cm diameter and a plunger of 30cm diameter. Determine the weight lifted by the hydraulic press when the force applied at the plunger is 250N.
   (6 marks)
- A hydraulic press has a ram of 50 cm diameter and a plunger of 30cm diameter. Determine the weight lifted by the hydraulic press when the force applied at the plunger is 250N.



### **Question Three**

- a) Water is flowing through a pipe having diameters of 300mm and 200mm at the bottom upper end respectively. The intensity of pressure at the bottom end is 24.525 N/cm<sup>2</sup> and the pressure at the upper end is 9.81N/cm<sup>2</sup>. Determine the difference in datum head if the rate of flow through the pipe is 40litres/sec (7 marks)
- b) Define the following terms;
  - (i) Capillarity
  - (ii) Surface tension
  - (iii) Specific volume
- c) (i) A steel plate is immersed in an oil of specific weight of 7.5kN/m<sup>3</sup> up to a depth of 2.5m. Determine the intensity of pressure on the plate due to the oil.
  - (ii) The pressure intensity at a point in a fluid is given as 3.924N/cm<sup>2</sup>. Find the corresponding height of the fluid when the fluid is water.

(3 marks)

(5 mark)

(6 marks)

### **Question Four**

- a) The specific gravity of ethyl alcohol is 0.79.
  Determine;
  - (i) Specific weight
  - (ii) Mass density
- b) A simple u-tube manometer containing mercury is connected to a pipe in which fluid of specific gravity 0.6 and having a vacuum pressure is flowing. The other end of the manometer is open to the atmosphere.

Determine the vacuum pressure in the pipe if the difference in mercury level in the two limbs is 10cm and the height of the fluid in the left from the centre of pipe is 5cm below.

(5 mark)

- c) Determine the depth below the surface of oil of relative density 0.65; that will produce a pressure of 120 kN/m<sup>2</sup>. (4 marks)
- d) The specific gravity of ethyl alcohol is 0.745.
  Determine;
  - (i) Specific water
  - (ii) Mass density

(6 marks)



### **Question Five**

a) An open cylindrical vertical container is filled with water to a height of 30 cm above

the bottom and over that an oil of specific gravity 0.82 for another 40 cm. The oil does not mix with water. If the atmospheric pressure at that location is 1 bar. Determine;

- (i) the absolute and
- (ii) Gauge pressures at the oil water interface and at the bottom of the cylinder.

(7 marks)

b) A U-tube open to atmosphere is first filled to a sufficient height with mercury. On one side water of volume equal to 200 mm column over which kerosene of density 830 m3/kg of volume equal to 250 mm column are added. Determine the rise in the mercury

column in the other limb.

(7 marks)

- c) Determine;
  - (iii) Gauge pressure
  - (iv) Absolute pressure,

at a point 3m below the free surface of a liquid having a density of  $1.53 \times 10^3$  kg/m<sup>3</sup> if the atmospheric pressure is equivalent to 750mm of mercury.

(6 marks)

