

TECHNICAL UNIVERSITY OF MOMBASA

FACULTY OF ENGINEERING AND TECHNOLOGY

DEPARTMENT OF MEDICAL ENGINEERING

UNIVERSITY EXAMINATION FOR:

DIPLOMA IN MEDICAL ENGINEERING

AMA2350: ENGINEERING MATHEMATICS V

END OF SEMESTER EXAMINATION

SERIES:APRIL2016

TIME:2HOURS

DATE:9May2016

Instructions to Candidates

You should have the following for this examination

-Answer Booklet, examination pass and student ID

This paper consists of **FIVE** questions. Attemptquestion ONE (Compulsory) and any other TWO questions. **Do not write on the question paper.**

Question ONE

a) A function f(t) is defined by
$$f(t) = \begin{cases} \frac{2t}{\pi}, & 0 \le t \le \frac{\pi}{2} \\ 2(1 - \frac{t}{\pi}, & \frac{\pi}{2} \le t \le \pi \end{cases}$$

- i. sketch the function for three periods
- ii. determine the Fourier half-range sine series for the function

(10 marks)

- b) The mean mass of 800 people is 64.7 kg and a standard deviation of 5.4 kg. If the masses are normally distributed, determine the number of people likely to have masses of
 - i. less than 54.4 kg
- ii. more than 70 kg
- iii. more than 62 kg (10 marks)
- c) Determine the Fourier half-range cosine series for the a function defined by f(x) = x within the interval $0 \le x \le \pi$ (10 marks)

Question TWO

a) Given that
$$f(x) = \begin{cases} -\cos x, & -\pi \le x \le 0 \\ \cos x, & 0 \le x \le \pi \end{cases}$$

- i. sketch the function for three periods
- ii. determine the Fourier series for the function

(10 marks)

- b) The mean height of 500 people is 170cm and the standard deviation is 9cm. Assuming that the heights are normally distributed, determine the number of people likely to have heights
 - i. between 150 195cm
 - ii. less than 165cm
 - iii. more than 194cm

(10 marks)

Question THREE

- a) The mean mass of active material in a batch of 100 tablets produced by a manufacturer is 5.00 g and the standard deviation of the masses is 0.036 g. Determine the number of tablets that have masses of
 - i. between 4.88 and 4.92 g
 - ii. between 4.92 and 5.04 g
 - iii. more than 5.04 g

(10 marks)

- b) A periodic function is defined by $f(x) = \begin{cases} -k, & -\pi \le x \le 0 \\ k, & 0 \le x \le \pi \end{cases}$
 - i. sketch the function for three periods
 - ii. determine the Fourier series for the function
 - iii. deduce a numerical series for the function

(10 marks)

Question FOUR

a) A frequency distribution of the class mid-point values of the breaking loads for 275 similar fibres are as given below:

Load(KN)	17	19	21	23	25	27	29	31
Frequency	9	23	55	78	64	28	14	4

- i. use normal probability paper to show that this distribution is approximately normally distributed
- ii. determine the mean and standard deviation of the distribution from the graph and by calculation (10 marks)

b) A function f(x) is defined by
$$f(x) = \begin{cases} -x, & -3 \le x \le 0 \\ x, & 0 \le x \le 3 \end{cases}$$

- i. sketch the function for three periods
- ii. determine the Fourier series for the function

(10 marks)

Question FIVE

- a) Determine the Fourier series for f(x) = 2x 1 within the interval 0 < x < 1 (10 marks)
- b) The relationship between the voltage applied to an electrical circuit and the current flowing is as shown. Assuming a linear relationship, determine the equation of the regression correct to 4 significant figures

Current (mA)	2	4	6	8	10	12	14
Voltage	5	11	15	19	24	28	33

(10 marks)