

TECHNICAL UNIVERSITY



OF MOMBASA

FACULTY OF APPLIED AND HEALTH SCIENCES
DEPARTMENT OF MATHEMATICS & PHYSICS
UNIVERSITY EXAMINATION FOR:
DIPLOMA IN MECHANICAL, ELECTRICAL, BUILDING AND
CIVIL ENGINEERING
YEAR III SEMESTER II
AMA 2251: ENGINEERING MATHEMATICS IV
END OF SEMESTER EXAMINATION
SERIES: DECEMBER 2016
TIME: 2HOURS
DATE: Pick Date December 2016

Instructions to Candidates

You should have the following for this examination

-Answer Booklet, examination pass and student ID Mathematical table, calculator

This paper consists of **FIVE** questions. Attempt question ONE (Compulsory) and any other TWO questions

Do not write on the question paper.

Question one (compulsory) (30MKS)

Question One (30 Marks)

a)

i) Determine $L\{e^{-2t} \sin 3t\}$ using Laplace transform tables (2 marks)

ii) Determine the Laplace transform of $f(x) = t^2$ from first principles (6 marks)

iii) Determine $L^{-1}\left\{\frac{4s-3}{s^2-4s-5}\right\}$ (4 marks)

b)

- i) Given that $y = 1$ when $x = 2\frac{1}{6}$, determine the particular solution of
- $$(y^2 - 1)\frac{dy}{dx} = 3y \quad (5 \text{ Marks})$$
- ii) Use the integrating factor to solve $\frac{dy}{d\theta} = \sec \theta + y \tan \theta$ given the boundary conditions $y = 1$ when $\theta = 0$ (6 Marks)
- c) Determine the Fourier series expansion of the periodic function of period 1

$$f(x) = \begin{cases} \frac{1}{2} + x, & -\frac{1}{2} < x < 0 \\ \frac{1}{2} - x, & 0 < x < \frac{1}{2} \end{cases}$$

(7 Marks)

Question Two (20 Marks)

- a) Given the function $f(x) = x$, $0 < x < 2\pi$, determine the Fourier series representing the function $f(x)$

(10 Marks)

- b) Determine the Fourier series expansion of the periodic function of period 1, given the function

$$f(x) = \begin{cases} -1 & \text{for } -\pi < x < \frac{-\pi}{2} \\ 0 & \text{for } \frac{-\pi}{2} < x < \frac{\pi}{2} \\ 1 & \text{for } \frac{\pi}{2} < x < \pi \end{cases}$$

(10 Marks)

Question Three (20 Marks)

- a) A first order differential equation involving current i in a series $R - L$ circuit is

given by: $\frac{di}{dt} + 5i = \frac{E}{2}$ and $i = 0$ and time $t = 0$. Use Laplace transforms to solve for

i when $E = 50 \sin 5t$ (10 marks)

b) Using Laplace transforms solve the following second order differential equation

$$\frac{d^2 y}{dx^2} + 2 \frac{dy}{dx} + 5y = e^{-x} \sin x, \quad \text{where } y(0) = 0, \quad y'(0) = 1 \quad (10 \text{ Marks})$$

Question Four (20 Marks)

a) Given that $7x(x - y)dy = 2(x^2 + 6xy - 5y^2)dx$ is homogeneous in x and y , solve the differential equation taking $x = 1$ when $y = 0$ (12 Marks)

b) The charge q in an electric circuit at time t satisfies the equation

$$L \frac{d^2 q}{dt^2} + R \frac{dq}{dt} + \frac{1}{C} q = E, \quad \text{where } L, R, C \text{ and } E \text{ are constants. Solve the equation given}$$
$$L = 2H, \quad C = 200 \times 10^{-6} F \text{ and } E = 250V \text{ when } R = 200\Omega \quad (8 \text{ Marks})$$

Question Five (20 Marks)

a) Show the following

$$\ell^{3t} = \frac{1}{s-3}, \quad \text{using the definition of Laplace transform} \quad (3 \text{ marks})$$

b) Determine $L^{-1} \left\{ \frac{7s+13}{s(s^2+4s+13)} \right\}$

(9 marks)

c) Determine the general solution of $9 \frac{d^2 y}{dx^2} - 24 \frac{dy}{dx} + 16y = 0$, then its particular solution

$$\text{given that } x=0, \quad y = \frac{dy}{dx} = 3 \quad (8 \text{ Marks})$$

Table of Laplace Transforms

$f(t) = \mathcal{L}^{-1}\{F(s)\}$	$F(s) = \mathcal{L}\{f(t)\}$	$f(t) = \mathcal{L}^{-1}\{F(s)\}$	$F(s) = \mathcal{L}\{f(t)\}$
1. 1	$\frac{1}{s}$	2. e^{at}	$\frac{1}{s-a}$
3. $t^n, n = 1, 2, 3, \dots$	$\frac{n!}{s^{n+1}}$	4. $t^p, p > -1$	$\frac{\Gamma(p+1)}{s^{p+1}}$
5. \sqrt{t}	$\frac{\sqrt{\pi}}{2s^{3/2}}$	6. $t^{n+1/2}, n = 1, 2, 3, \dots$	$\frac{1 \cdot 3 \cdot 5 \dots (2n-1)\sqrt{\pi}}{2^n s^{n+3/2}}$
7. $\sin(at)$	$\frac{a}{s^2+a^2}$	8. $\cos(at)$	$\frac{s}{s^2+a^2}$
9. $t \sin(at)$	$\frac{2as}{(s^2+a^2)^2}$	10. $t \cos(at)$	$\frac{s^2-a^2}{(s^2+a^2)^2}$
11. $\sin(at) - at \cos(at)$	$\frac{2a^3}{(s^2+a^2)^3}$	12. $\sin(at) + at \cos(at)$	$\frac{2as^2}{(s^2+a^2)^3}$
13. $\cos(at) - at \sin(at)$	$\frac{s(s^2-a^2)}{(s^2+a^2)^3}$	14. $\cos(at) + at \sin(at)$	$\frac{s(s^2+3a^2)}{(s^2+a^2)^3}$
15. $\sin(at+b)$	$\frac{s \sin(b) + a \cos(b)}{s^2+a^2}$	16. $\cos(at+b)$	$\frac{s \cos(b) - a \sin(b)}{s^2+a^2}$
17. $\sinh(at)$	$\frac{a}{s^2-a^2}$	18. $\cosh(at)$	$\frac{s}{s^2-a^2}$
19. $e^{at} \sin(bt)$	$\frac{b}{(s-a)^2+b^2}$	20. $e^{at} \cos(bt)$	$\frac{s-a}{(s-a)^2+b^2}$
21. $e^{at} \sinh(bt)$	$\frac{b}{(s-a)^2-b^2}$	22. $e^{at} \cosh(bt)$	$\frac{s-a}{(s-a)^2-b^2}$
23. $t^n e^{at}, n = 1, 2, 3, \dots$	$\frac{n!}{(s-a)^{n+1}}$	24. $f(ct)$	$\frac{1}{c} F\left(\frac{s}{c}\right)$
25. $u_c(t) = u(t-c)$ <u>Heaviside Function</u>	$\frac{e^{-cs}}{s}$	26. $\delta(t-c)$ <u>Dirac Delta Function</u>	e^{-cs}
27. $u_c(t) f(t-c)$	$e^{-cs} F(s)$	28. $u_c(t) g(t)$	$e^{-cs} \mathcal{L}\{g(t+c)\}$
29. $e^{ct} f(t)$	$F(s-c)$	30. $t^n f(t), n = 1, 2, 3, \dots$	$(-1)^n F^{(n)}(s)$
31. $\frac{1}{t} f(t)$	$\int_s^\infty F(u) du$	32. $\int_0^t f(v) dv$	$\frac{F(s)}{s}$
33. $\int_0^t f(t-\tau)g(\tau) d\tau$	$F(s)G(s)$	34. $f(t+T) = f(t)$	$\frac{\int_0^T e^{-st} f(t) dt}{1-e^{-sT}}$
35. $f'(t)$	$sF(s) - f(0)$	36. $f^n(t)$	$s^n F(s) - sf'(0) - f''(0)$
37. $f^{(n)}(t)$	$s^n F(s) - s^{n-1} f(0) - s^{n-2} f'(0) - \dots - sf^{(n-2)}(0) - f^{(n-1)}(0)$		