



THE MOMBASA POLYTECHNIC UNIVERSITY COLLEGE

(A Constituent College of Jkuat)

Faculty of Applied & Health Sciences

DEPARTMENT OF PURE AND APPLIED SCIENCES

DIPLOMA IN SCIENCE LABORATORY TECHNOLOGY (DSLT09J)

ACH 2309: CHEMICAL ANALYTICAL TECHNIQUES

END OF SEMESTER EXAMINATION

SERIES: AUGUST/SEPTEMBER 2011

TIME: 2 HOURS

Instructions to Candidates:

You should have the following for this examination

- Answer booklet

This paper consists of **FIVE** questions
Answer question **ONE** (**COMPULSORY**) and choose any other **TWO** questions
This paper consist of **FOUR** printed pages

QUESTION ONE – (COMPULSORY)

a)	Electrolytic	conductivity	of a	n electrolyte	can	be	determined	experimentally	by	use	of	a
	wheatstone bridge circuit											

i) Draw a fully labeled diagram of the wheatstone bridge circuit (8 marks)

ii) State the function of each component in the circuit (6 marks)

iii) Give the name used to describe the type of water used in making a solution for conductivity measurements (1 mark)

iv) Sate the reason why direct current is unsuitable for this work (1 mark)

$$Sn + 2Fe^{3+} \rightarrow Sn^{2+} + 2Fe^{2+}$$

- b) Given the reaction
 - i) Identify the type of reaction. Explain (3 marks)

ii) Write the half cell equation for the reductant (1 mark)

c) Find the oxidation number of

Mn in Mn_2O_3

i)

Cl in HClO₃

ii)

N in HNO_3

iii)

Cr in $Cr_2O_7^{2-}$

iv)

 $V \text{ in } VO_2^+$

v) (10 marks)

QUESTION TWO

- a) (i) Define the term polarogram (1 mark)
 - (ii) Draw a labeled diagram of the apparatus used to obtain a polarogram in chemical analysis (8 marks)
 - (iii) Sketch and label the expected polarogram from the polarographic analysis of an aqueous

$$Zn^{2+}, Pb^{2+}, Sn^{2+}, Ag^{+}$$
 Cu^{2+}

Solution containing and given their decomposition potentials as -0.76, -0.13, -0.14, +0.80 and 0.34 volts respectively. (7 marks)

b) Silver nitrate is used as a testing reagent in the last stage in detection of elements in organic samples.

i) Identify the target element (1 mark)

ii) Describe how the test is carried out (2 marks)

iii) State one observation made during such a test and the inference (1 mark)

OUESTION THREE

a) A crude organic (containing C H and O) sample is known to contain 4% by mass of uncombustible impurities. On being subjected to combustion analysis, 9.375 of the crude sample on complete combustion gave 8.8g at carbon dioxide and 1.8g of water. Calculate the percentage of each of the three elements in the sample. (8 marks)

$$C= 12, H = 1, 0 = 16.$$

b) The Kjeldahi method is one of the methods commonly used in determination of elements in organic analysis. List the three basic steps of this method and for each sate the reagents used and the role of each (12 marks)

QUESTION FOUR

- a) State Kohlrausch's Law (2 marks)
- b) A solution containing 6g of ethanoic acid per dm³ has an electrolytic conductivity of 5.21 x $\Omega^{-1}M^{-1}$ 10⁻² at 25°C. The molar conductivities at infinite dilution at this temperature for the H^+ $CH_3COO^ \Omega^{-1}M^2Mol^{-1}$ ions and are 3.498 x 10⁻² and 0.412 x 10⁻² respectively.

Calculate the degree of dissociation of ethanoic acid

(8 marks)

$$C = 12, O = 16, H = 1$$

- c) Given an organic sample to demonstrate presence of elements carbon and hydrogen
 - i) Name THREE chemical substances you will require and the role of each giving chemical equations where applicable (8 marks)
 - ii) State the observations made to confirm the presence of carbon and hydrogen (2 marks)

QUESTION FIVE

Use the following list of standard electrode potentials to answer the questions that follow.

Half cell reaction E°(Volts) $Mg^{2+} + 2e \to Mg_{(s)}$ -2.38 $Al^{3+} + 3e \to Al_{(s)}$ -1.68 $Cr_2 0_7^{2-} + 14H^+ + 6e \to 2Cr^{3+} + 7H_2O$ +1.33 $Cl_2 + 2e \to 2Cl$ +1.36

$$Fe^{3+} + e \rightarrow Fe^{2+}$$

$$+0.77$$

$$Zn^{2+} + 2e \rightarrow Zn$$

$$-0.76$$

$$Br_2 + 2e \rightarrow 2Br$$

$$+1.09$$

a) Identify

i) The strongest oxidizing agentii) The strongest reducing agent(1 mark)(1 mark)

 Fe^{3+} , Fe and Zn/Zn^{2+}

- b) From half cells
 - i) Draw a labeled diagram of the cell made of the two electrodes and indicate on it the direction of electron flow (5 marks)
 - ii) Write the cell representation stating what each of the symbols represents (4 marks)
 - iii) Write the equation for the cell reaction taking place (1 mark) iv) Calculate the equilibrium constant (3 marks)
- c) For the half cell reaction

$$Cr_2O_7^{2-} + 14H^+ + 6e \rightarrow 2Cr^{3+} + 4H_2O$$

Calculate the electrode potential if hydrogen ion concentration was changed to 0.01 leaving the concentration of the others unchanged (5 marks)